Index for Volume 68 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages of errata are in italic type.

Abdel-Azim, O. F., 906
Abies
  amabilis, wood decay in, description, 992
  fraseri, ectomycorrhizae of, metalaxyl affecting, 32
Acalypha indica, Alternaria leaf spot, in Seychelles Islands, 1016
Acremonium coenophialum, on fescue, seed treatments for, 49
Adlakha, K. L., 320
Adlerz, W. C., 230
Ageratum conyzoides, bidens mottle virus of, 260
Agrios, G. N., 219
Agrobacterium tumefaciens, on grapevine, survival and dissemination, 976
Agropyron intermedium, leaf spots of, 1089
Aichele, M. D., 207, 378
Aitken, W. M., 398
Albregts, E. E., 824
Albrigo, L. G., 979
Alcorn, S. M., 156, 587, 625, 732
Alexander, S. A., 210
Alfalfa
  anthracnose of, race resistance, 285
  Marasmius root rot of, in Egypt, 906
  Sclerotinia crown and stem rot of, benomyl effect, 294
  stem nematode of, in Wyoming, 620
  Stemphylium leaf disease of, in Australia, 531
Alfalfa mosaic virus
  on potato, thermotherapy for, 887
  on white clover, resistance, 1033
Al-Musa, A. M., 537
Alternaria spp.
    on *Acalypha indica*, in Seychelles Islands, 1016
    on *Brassaia*, *Dizygotheca*, and *Tupidanthus*, leaf spot, 447, (448)
  alternata
    on stored potatoes, new pathogen, 160
    on tomato fruit, in New York, 628
  carthami, on safflower, environmental factors affecting, 408
  chrysanthemi, on Canada thistle, 251
  dauci, on carrot, fungicide effect, 39
  panax, on schefflera, fungicides for, 870
  raphani, on turnip, in Arizona, 732
  tenuis, on citrus, fungicides for, 43, (43)
Alvarez, A. M., 436, 986
American Phytopathological Society, annual meeting program, 629
Amico, L. A., 787
Ammi visnaga, Marasmius root rot of, in Egypt, 906
Amorao, A., 390
Anand, S. C., 593, 829
Andean potato mottle virus, new strain in Brazil, 997, (998)
Anderson, N. A., 22
Anderson, R. L., 145
Anjos, J. R. N., 405
Anthurium andraeanum, decline of, nature and control, 509
Aphanomyces sp., in plant tissue, recovery of, 845, (847)
Aphelenchoides besseyi, on *Dendrobium nobile*, 826
Aphis gossypii, citrus tristeza virus vector, 494, (495)
Appel, D. N., 661, 851
Apple
  bacterial infection of buds, overwintering, 383, (384)
  Botryosphaeria canker on, in Chile, 36, (37)
  Botryosphaeria obtusa on buds of, 707
  fruit rot of, *Phytophthora* cause, 351
  pesticide applications on, tree-row-volume concept, 480
  powdery mildew fruit russet of, sprays for, 326
  replant disease of, formaldehyde for, in Washington, 981
  scab of, fungicide schedule, 1055
  tomato ringspot virus of
    distribution in trees, 567
    transmission by nematodes, 1052, (1053)
Appleby, J. E., 180
Apricot, brown rot of, benomyl resistance detection, 29
Apt, W. J., 509
Aragaki, M., 447, 509
Armillaria mellea
  on red spruce, decline, 794
  survival, composting for, 134
Armoracia rusticana, *Spiroplasma* on, mosaic virus effect, 565
Ascochyta
  rabiei, on chickpea
    in Canada, 826
    international testing, 782
    world collection evaluation, 900
  sorghina, on sorghum, resistance to, 1048
Ash, *Fomes fraxinophilus* on, in Nebraska, 322
Asparagus
  purple spot of, in Michigan and Washington, 1099
  virus of, first report in New Jersey, 628
Aspergillus
  aculeatus, on grape, bunch rot from, 718
  flavus
    on corn, preharvest contamination, in Indiana, 893
    on corn kernels, aflatoxin accumulation, 465
Asplenium nidus, leaf spot and blight of, 344
Athow, K. L., 1080
Aubé, C. B., 179
Augustin, B. J., 1095
Avila, A. C., 997
Avocado
  Phytophthora root rot of, chemical control, 956
  root rot of, control by trunk injection, 691

Babadoost, M., 125
Bacillus
  polymyxa, on tomato, seedling blight from, 617, (618)
  subtilis, biocontrol agent for stone fruit brown rot, postharvest, 753, (754)
Backman, P. A., 44, 49, 877
Baenziger, P. S., 10
Bahadur, P., 537
Bancroft, M. N., 24
Banks, D. J., 395, 563
Banksia spp., Phytophthora root rot of, evaluation, 1077
Banttari, E. E., 944
Baritelle, J. L., 24
Bar-Joseph, M., 494
Barkai-Golan, R., 160
Barker, K. R., 735
Barksdale, T. H., 506, 875
Barley, stem rust of, resistance inheritance, 762
Barley yellow dwarf virus
  dosage effect, in cereals, 759
  serological identification of, in China, 710
Barmore, C. R., 43
Barnard, E. L., 471
Barnes, L. W., 450, 1016
Barnett, O. W., 386, 561, 983
Barrat, J. G., 198
Bassett, E. N., 317
Bates, M. L., 989, 1075
Baumer, J. S., 257
Beale, M. A. R., 1065
Bean (see also *Phaseolus* and *Vicia faba*)
  anthracnose of, epsilon race in Ontario, 69
  sterile basidiomycete on, ecology, 18
Bean common mosaic virus, New York epidemic, 1092, (1093)
Bean yellow mosaic virus, on faba bean, resistance to, 109
Bedker, P. J., 227
Beet necrotic yellow vein virus, on sugar beet, first report in U.S., 251
Beet western yellows virus
  distinction from other viruses, 684
  in Israel, 162
Beineke, W. F., 203
Bell, D. K., 18, 1039

Bender, C. G., 305
Berdahl, J. D., 13, 1089
Bergdahl, D. R., 225
Bergquist, R. R., 281
Bergstrom, G. C., 726
Bermudagrass, stunting disease of, 1095
Bernard, R. L., 71
Bernhardt, E. A., 999
Bernier, C. C., 16, 109
Berry, R. W., 254, 628
Bertrand, P. F., 519
Bessette, A. E., 617
Beute, M. K., 401, 674
Bharathan, N., 757
Biçici, M., 502
Bidens mottle virus, on bedding plants, 260, (261)
Biological control
Bacillus subtilis for stone fruit brown rot, 753, (754)
Penicillium oxalicum for Pythium damping-off in chickpea, 806
Pseudomonas putida on potato, bacterization, 703, (705)
Streptomyces for Dutch elm disease, 104
Bipolaris
oryzae, in rice, floral abortion and kernel discoloration, 288
sorokiniana
inoculum increase, substrates for, 310
on wheat, resistance to, 320
Birchfield, W., 798
Bird, G. W., 873
Birrenkott, G. L., 628
Bitterlin, M. W., 567
Black, M. C., 401, 674
Blackberry, cane canker of, fungi causing, 812, (813-815)
Blanchette, R. A., 104, 227
Blueberry
anthracnose fruit rot of, infection process, 948, (949)
stem canker of, new pathogenic race, 522, (522)
Blueberry shoestring virus, in Washington, 450
Bockus, W. W., 123, 665
Boelter, R. H., 620
Boiteau, G., 779
Bolkan, H. A., 163, 351
Bolton, A. T., 816
Bose, E. A., 29
Bost, S. C., 1083
Bostock, R. M., 29
Botryosphaeria
berengeriana, on guava, in Hawaii, 918
corticis, on blueberry, new race, 522, (522)
dothidea
on apple, in Chile, 36, (37)
on blackberry, canker disease, 720, (721-724)
obtusa, on apple buds, primary infection, 707
Botrytis
cinerea, on pistachio, shoot blight, 163, (164)
elliptica, on lily leaves, inoculation technique, 854
Bowden, R. L., 68, 916
Bradfute, O. E., 994
Brassaia actinophylla, Alternaria leaf spot of, 447
Briggle, L. W., 450
Brigham, R. D., 628
Brinkerhoff, L. A., 168
Bristow, P. R., 450
Brittain, J. A., 931
Brlansky, R. H., 979
Broad bean wilt virus
on bean in Jordan, 537
on dogwood, properties, 983
Broadhead, D. M., 1048
Brodie, B. B., 474
Bromfield, K. R., 818
Browder, L. E., 392, 450
Brown, G. E., 43, 415
Brown, J. F., 408
Brown, R. H., 922
Bruck, R. I., 32
Bruehl, G. W., 868
Brunetti, K., 1003
Brunk, D. D., 73, 251
Bryan, H. H., 66
Bugbee, W. M., 1099
Bunderson, E. D., 326
Burr, T. J., 383, 976
Bursaphelenchus xylophilus, on pine, wilt in Illinois, epidemiology, 180, (183, 186)
Butternut, canker of, incidence in plantations, 613, (615)
Byther, R. S., 192

Cabbage
clubroot of, irrigation water source, 200
Phytophthora root rot of, in Oregon, 533, (534)
Campana, R. J., 890
Campbell, C. L., 1033
Campbell, R. N., 971
Campbell, S. D., 956
Cañez, V. M., 29
Cantliffe, D. J., 66
Cappellini, R. A., 167, 1018
Capsicum spp., tobamoviruses of, serological identification, 597, (598, 599)
annuum
foliar blight in Florida, 1016
Phytophthora blight and crown rot of, resistance, 506
chacoense, race 1, hypersensitivity from bacteria, 329
Carduus tenuiflorus, rust of, in California, 1003, (1004)
Carey, A. C., 794
Carpobrotus spp., pathogens of, in California, 965, (966)
Carroll, R. B., 694
Carrot, *Alternaria dauci* on, fungicides for, 39
Caruso, F. L., 617, 910
Casper, D. H., 902
Castello, J. D., 787
Cauliflower, Phytophthora root rot of, in Oregon, 533, (533)
Ceanothus integerrimus, Verticillium wilt of, in California, 1012
Celery
Fusarium wilt of, inheritance of resistance, 574, (576)
Fusarium yellows of, in Michigan, 537
Cephalosporium gramineum, on wheat
factors affecting in Kansas, 665
seedling resistance, 1036
Ceponis, M. J., 1018
Ceratocystis
fagacearum, on oak, aerial survey for in Texas, 661, (662)
paradoxa, on sugarcane, control, 1072
ulmi, biocontrol of, by *Streptomyces*, 104
Cercospora arachidicola, on peanut, resistance to, 395
Chang, H. S., 351
Chase, A. R., 73, 195, 251, 344, 488, 514, 870
Chastagner, G. A, 151, 192, 854, 939, 942
Cheng, Z.-M., 710
Cherry, tomato ringspot virus on, 1052
Cherry rugose mosaic virus, in Washington, ELISA use, 207
Chickpea
Ascochyta blight of, international testing, 782
damping-off of, biocontrol, 806
Chiko, A. W., 536
Ching, S. A., 1072
Chokecherry, western X-disease of, in Nebraska, 103
Christie, S. R., 230, 260
Chrysalidocarpus lutescens, foliar necrosis and leaf spot of, fungicide effect, 195, (196)
Chrysanthemum, bacterial spot of, temperature and leaf wetness effect, 248
Chrysanthemum stunt viroid, detection in South Africa, bioassay, 485
Chun, W., 537
Ciampi-Panno, L., 822
Cicer arietinum
Ascochyta blight resistance, world collection, 900
bacterial blight of, in Maine, 910
Cichorium endivia, apical rot of, bacteria, 537
Çinar, A., 502
Circulifer tenellus, on horseradish, virescence vector, 968, (969)
Cirsium arvense, leaf spot of, 251
Citrus
albinism of, fungicides for, 43, (43)
blight of
transmission, 979
unknown etiology, diagnosis, 511
Penicillium spp. of, in field and storage, fungicides for, 100
Phytophthora citrophthora on rootstocks of, resistance, 502
postharvest decay of, fungicides for, 415
virus-*Glomus etunicatum* interaction, 311
Citrus tristeza virus, transmission by aphids, 494, (495)
Claflin, L. E., 866
Clark, E. M., 49
Clavibacter xyli, on bermudagrass, in Florida, 1095
Clayton, J. L., 418
Clover
annual, *Sclerotinia trifoliorum* on, 131
Phytophthora root rot of, 450
powdery mildew of, first report in Georgia, 351
viruses of, field resistance to, 1033
Clover yellow vein virus
on bean, resistance to, 555
on clover, field resistance, 1033
Cobb, F. W., Jr., 246, 1012
Cobb, G. S., 1013
Cochliobolus sativus
on *Agropyron intermedium*, 1089
on Russian wild rye, 13
on wheat, inoculum density effect, 411
Coconut palm, flagellated protozoa of, disease association, 537
Cody, Y. S., 304
Coffee, rust of, in western hemisphere, 89, (90-92)
Coffey, M. D., 956
Cohen, Y., 137, 688
Colletotrichum spp., on tomato, resistance inheritance, 875
acutatum, on *Pinus radiata*, first report in Africa, 732
fragariae, on lupine, 142, (143)
gloeosporioides
on blueberry fruit, infection, 948, (949)
on papaya, water treatment for, 436
on western hemlock, 628
lindemuthianum, on bean, in Ontario, 69
sublineolum, on wild rice, 68, (68)
trifolii
on lupine, 142, (143)
races of, alfalfa resistance, 285
Collins, M. H., 561
Colyer, P. D., 703
Computer use
plant pathology application, 365, 539
weather-driven predictive models, 458

Comstock, J. C., 1072
Conrad, N. G., 244
Converse, R. H., 390
Cook, A. A., 329
Cook, R. J., 548
Cooley, S. J., 671
Corn
  aflatoxin accumulation in, variation sources, 465
  aflatoxin in, preharvest, in Indiana, 893
  downy mildew of, systemic fungicides for
    foliar application, 608
    seed treatment, 604
  ear rot of, genotype effect, 296
  Fusarium
    graminearum group II on, colonization and survival, 791
    moniliforme in seed of, factors, 804
  head smut of, symptoms and resistance, 880, (880, 881)
  Marasmiellus disease of, in Latin America, 728, (728-730)
  nematodes of, in Colombia, 950
  rust of, racial identity, 281
  sterile basidiomycete of, ecology, 18
  stunt spiroplasma on, isolation, 600
Cornus florida, broad bean wilt virus of, properties, 983
Corynebacterium
  flaccumfaciens, on soybean, yield loss from, 774
  michiganense, polymyxin inhibition of, in selective medium, 536
  sepedonicum
    on potato, control prospects in North America, 841, (841, 842)
    on sugar beet, recovery, 1099
Corynespora cassiicola, on *Ficus*, 251
Cosper, B. H., 877
Cotton
  bacterial blight, immunity development, 168, (168, 169, 171)
  Phymatotrichum root rot of
    anhydrous ammonia for, 291
    yield and quality effect, 381
  root-knot nematode of, losses in Texas, 284
Cotty, P. J., 732
Couey, H. M., 436, 986
Covey, R. P., 981
Cowpea
  root knot of, resistance to, 961
  viruses of, survey, in South Carolina, 561
Cowpea chlorotic mottle virus, antiviral compound effect on, 219
Cowpea severe mosaic virus, on soybean, in Brazil, 405, (406)
Cracaena sanderana, leaf spot diseases of, 251
Craven Fowler, M., 440
Crawford, M. A., 44, 877
Cress, C. E., 681
Criconemella xenoplax, on peach
  fenamiphos for, 477
  roots, fungus relation and control, 497
Cronartium
  comandrae, on lodgepole pine, in Wyoming, 1049
  quercuum
    on pine, seedling resistance, 145
    on pine seedlings, 324
      benodanil effect on, 225
    on slash pine, resistance and factors, 770
  ribicola, new strain, in Oregon, 800
Crop loss, wheat diseases in Idaho, 421
Crowe, F. J., 1086
Crop rotation, for Cylindrocladium black rot of peanut, 401
Csinos, A. S., 61
Cuarezma-Terán, J. A., 1083
Cucumber, powdery mildew of, in Ontario, 536
Cucumber mosaic virus
  on peanut, in China, 386, (387)
  on violet, strain of, 913, (914, 915)
Cummins, J. N., 242, 567
Cunfer, B. M., 351
Cupertino, F. P., 331
Curtis, C. R., 747
Cylindrocephalum sp., on mung bean, 304
Cylindrocladium spp., on fern fronds, surface disinfestation, 514
  crotalariae, on peanut
    crop rotation effect, 401
    nitrogen effect on, 674
  scoparium, on eucalyptus, occurrence and control, 471, (472)

Dactylis glomerata, stripe rust on, in Oregon, 1099
Dainello, F. J., 1069
Daines, R., 326
Daniels, J., 997
Darvas, J. M., 691
Datnoff, L. E., 200
Davidson, T. R., 7
Davis, D. W., 22
Davis, M. J., 600, 896, 1095
Davis, R. F., 537, 628
Daykin, M. E., 948
Dean, J. L., 896
De Boer, S. H., 841
Delonix regia, root disease of, in Mariana Islands, 334, (335)
Delwiche, P. A., 845
Dennis, J. J., 628
Denny, R., 167
Derr, M. A., 796
Derrick, K. S., 343
Dianese, J. C., 314
Diaporthe
  helianthi, on sunflower, in Texas, 254, (254, 255)
  phaseolorum, on soybean, resistance to, 877
Dibotryon morbosum, on prune, fungicides for, 1060
Dick, T., 796
Dieffenbachia maculata, Myrothecium leaf spot of, temperature effect, 488
Dinoor, A., 160
Dinus, R. J., 770
Diospyros kaki, witches' broom of, 536
Disease forecasting
  blue mold warning system, in North America, 933
  pest control decisions, 656
  quarter century of warning, 352
Ditylenchus dipsaci, on alfalfa, in Wyoming, 620
Dizygotheca elegantissima, Alternaria leaf spot of, 447
Dixon, K. W., 1077
Dooley, H. L., 686
Doss, R. P., 854
Dothistroma
  pini, on pines in Pennsylvania, 450
  septospora, on pines, in South Africa, 918
Douglas-fir
  Swiss needle cast of
    needle retention affected by, 192
    distribution in Pacific Northwest, 939
    in Ontario, on Christmas trees, 1099
Dowler, W. M., 818
Drechslera sorokiniana, on bluegrass, herbicide effect, 213
Driver, C. H., 713
Droby, S., 160
Dropkin, V. H., 829
Duffus, J. E., 251
Duniway, J. M., 999
Dunleavy, J. M., 774, 778
Durgan, M. E., 574
Dwadash-Shreni, V. C., 555
Eastman, C. E., 336, 565, 968
Eckert, J. W., 24
Editorial
  Aube, C. B., Guelph University welcome, 179
  Brittain, J. A., IPM and plant health, 931
  Cook, R. J., state of the Society, 548
  Curtis, C. R., Jersey-DelMarVa Peninsula Coalition, 747
  Diener, T. O., viroids and prions, 4
  Fisher, P. D., disease control, prediction, 87
  Ford, R. E., congressional science fellow, 271
  Horne, C. W., extension trends, 1023
  Horsfall, J. G., committee perspective, 455
  Jones, A. L., disease control, prediction, 87
  Kado, C. I., biotechnology, 363
  Shurtleff, M. C., training extension pathologists, 839
  Zitter, T. A., citizen chemophobia, 655
Edmonds, R. L., 713
Edwards, W. H., 811
Electron microscopy, mycoplasmalike organism on soybean, in Mexico, 994, (996)
Elgin, J. H., Jr., 285
El-Goorani, M. A., 100
El-Kasheir, H. M., 100
Elliott, A. P., 873
Ellis, M. A., 174, 812, 1055
Elm
  bacterial wetwood of, wounding effect, 890
  Dutch elm disease
    in Illinois, 302
    Streptomyces as biocontrol, 104
Elmer, W. H., 537
El-Morshidy, M. A., 10
Elmstrom, G. W., 129, 239
Elymus junceus, *Cochliobolus*, *Pyrenophora*, and *Septoria* on, 13
Elytroderma deformans, on pine, in California, 918
Endert, E., 468, 677
Endocronartium harknessii, on ponderosa pine, in Michigan, 681
Endothia gyrosa, on pin oak, water stress, 851
Engelhard, A. W., 248, 338, 438
Epichloë typhina, on fescue seed, 1099
Epidemiology
  pine wilt in Illinois, 180
  plant canopy relation, anemometer for, 413
  weather factors, monitoring, 78
  wheat rusts on U.S. Great Plains, 392
Errata
  vol. 67, no. 6, 1983, 159; no. 12, 1983, 330
  vol. 68, no. 5, 1984, 731
Erwinia spp., on *Dracaena sanderana*, 251
  carotovora
    on pepper, 167
    on sunflower, in North Dakota, 189, (189, 190)
Erysiphe
  graminis, on wild wheat, resistance to, 10
  polygoni, on clover, in Georgia, 351
Espejo, J. L., 390
Essenberg, M., 168
Eucalyptus spp.
  Cylindrocladium scoparium on, occurrence and control, 471, (472)
  Puccinia psidii on, field infection, 314
Euphorbia lathyris, *Macrophomina phaseolina* on, latent infection, 587
Evans, T. A., 1099
Eversmeyer, M. G., 392
Exserohilum rostratum, on areca palm, fungicide effect, 195, (196)
Eyal, H., 688

Falk, B. W., 918
Fanous, M. A., 395
Fenn, P., 317

Festuca arundinacea, *Acremonium coenophialum*
on seed in Missouri, 1099
on seed treatments for, 49, (50)
Ficus benjamina
leaf spot of, 251
root rot of, 816, (817)
Ferreira, S. A., 1072
Filip, G. M., 992
Fisher, P. D., 458, 87
Fletcher, J., 336, 565, 968, 994
Flores, V., 884
Focus, 6, 88, 187, 272, 364, 457, 549, 733, 827, 840, 932, 1024
Fomes fraxinophilus, on green ash, in Nebraska, 322
Forer, L. B., 242, 450, 796, 1052
Fortnum, B. A., 244
Foster, J. E., 759
Fox, J. A., 200
Frankel, S. J., 992
Frazier, N. W., 390
Frederiksen, R. A., 604, 608
French, D. W., 225
Froyd, J., 916
Fulbright, D. W., 418, 1036
Fungicide and Nematicide Update
concepts in product development, 651
fungicide
tests on row crops, 452
use patterns, 834
potato late blight control, fungicide testing, 742
small fruit disease control, 174
soybean and peanut seed treatment, 76
statistical procedures, 919
Fungicides (general) (see also Fungicides, specific)
Alternaria dauci on carrot, efficacy, 39
apple scab, schedule, 1055
black knot of prune, benefit, 1060
Cylindrocladium on eucalpytus seedlings, 471, (472)
foliar, on soybeans, 558
for leaf spot of areca palm, nutrient effect, 195
lemon decay, in packinghouses, 24
pear decay control, surfactant use, 860
pecan photosynthesis affected by, 427, *731*
Phytophthora root rot of avocado, 956
postharvest, on citrus, efficacy, 415, (417)
resistance to, 1026, (1027, 1028, 1030)
seed treatment, fescue endophytes, 49
soil drenches, for wheat crater disease, 582
soybean disease control, application timing, 44
systemics, for downy mildew
foliar application, 608
seed treatment, 604
tomato damping-off control, direct-seeding gel, 66
tomato postharvest decay, *Mucor* spp., 524
wheat rusts, 112
white rust of spinach, 1069
Fungicides (specific) (see also Fungicides, general)
acephate and oxamyl, effect on Alternaria leaf spot of schefflera, 870
ammonia, for Phymatotrichum root rot of cotton, 291
benodanil, pine-oak rust control, 225
benomyl
Monilinia resistance to, 29
Nectria canker on honey locust, 227, (228)
for Sclerotinia crown and stem rot of alfalfa, 294
benomyl and etaconazole, for apple powdery mildew, 326
benzimidazole
Penicillium resistant to, in Egypt, 100
Verticillium dahliae tolerant to, 424
dicarboximide, for *Sclerotium cepivorum*, tolerance, 371
ethazol and metalaxyl, for Phytophthora root rot of tomato, 429
metalaxyl
fir seedling mycorrhizae affected by, 32
pearl millet downy mildew affected by, 668
Phytophthora and *Pseudoperonospora* resistant strains, 137
for *Phytophthora* in forest tree nurseries, 671
for Pythium blight on turfgrass, 776
Phytophthora parasitica response to, 764
phosethyl-Al, for avocado root rot, trunk injection, 691
propiconazole, for pineapple disease of sugarcane, 1072
thiram, for citrus albinism, 43
triphenylphosphite, bean rust effect, 154, (155)
Fusarium spp.
on bluegrass, associated fungi, 440, (441)
on conifer roots, in Pennsylvania, 536
on peach roots, nematode relations and control, 497
on peanut pods, inoculum source, 1039
graminearum, group II, on cornstalks, late-season colonization, 791
moniliforme
on corn, resistance factors, 804
on sorghum, survival in stalks, 866
oxysporum
on celery
in Michigan, 537
resistance to, 574, (576)
on onion, in Georgia, 450
on soybean, weed sources, 694
on watermelon
nonhost crop plant effect, 239
wilt in monoculture, 129

Gadh, I. P. S., 109
Gadoury, D. M., 223
Gaeumannomyces graminis, selective medium for, 233
Gaines, T. P., 61
Gallo, K. M., 593
Gardner, P. D., 24
Garlic, *Meloidogyne incognita* on, control, 166
Garrison, S., 628
Gay, J. D., 450
Geadelmann, J. L., 880
Geballe, G. T., 794
Geils, B. W., 1049
Gendloff, E., 296
Geotrichum spp., on tomato, postharvest decay, 46
Geranium, bacterial spot of, temperature and leaf wetness effect, 248
Gerik, T. J., 500
Gerling, W. D., 1060
Gibberella zeae, on corn, ear rot of, genotype effect, 296
Gillespie, T. J., 78
Glazener, J. A., 986
Gleditsia triacanthos, Nectria canker of, control, 227, (228)
Globodera rostochiensis, control by solar heat, 474
Glomerella cingulata, on strawberry, in Florida, 824
Glomus etunicatum, on citrus, virus interaction, 311
Gloxinia, bacterial leaf spot of, 439
Gnomonia leptostyla, on black walnut
epidemics, 571
growth effect, 203
Gobelman-Werner, K. S., 778
Godkin, S. E., 536
Göksedef, M. O., 502
Golden, A. M., 351
Gonsalves, D., 242, 443, 567
Goodell, J. J., 148
Goodwin, P. H., 944
Gopinath, R., 668
Gottwald, T. R., 427, 519
Gough, F. J., 537, 848
Gough, K. H., 204
Graham, J. H., 511
Granada, G. A., 994
Grand, L. F., 32
Grape
bunch rot of, *Aspergillus* cause, 718
canopy of, anemometer for, 413
decline of, cause in British Columbia, 820
nematodes on, tolerance, 1058, (1058, 1059)
powdery mildew of, yield and growth effect, 590
Grapevine, crown gall carrier, 976
Grau, C. R., 56, 628, 845
Gray, F. A., 620
Gray, L. E., 71
Gremmeniella abietina
conidia, production and maintenance, 1065
serological strains of, distribution, 937
Griggs, M. M., 770
Grogan, R. G., 331, 1043
Grogan, R. T., 429
Grovesinia pyramidalis, on black walnut, range, 918
Grube, M., 421
Guava, brown rot of, in Hawaii, 918
Gudmestad, N. C., 189, 1099
Guevara, Y. G., 329
Guillemet, F. B., 956
Gumpf, D. J., 494
Gunnell, P. S., 529
Guzman, J. A., 537
Guzman, V. L., 918

Hafez, S. L., 351
Hagedorn, D. J., 595, 845
Haglund, W. A., 981
Halisky, P. M., 256
Halliwell, R. S., 450, 536
Hamm, P. B., 517, 533, 671
Hammond, J. M., 44
Hampton, R. O., 148
Hanada, K., 1006
Hannan, R. M., 806
Hansen, A. J., 216
Hansen, E. M., 517, 671, 800
Harder, D. E., 266
Hardison, J. R., 1099
Harrell, M. O., 322
Harrigan, E. K. S., 408, 767
Harrington, T. C., 1012
Hart, J. H., 681
Hart, L. P., 296, 418
Hartman, J. R., 965
Harville, B. G., 798
Hassan, S., 684
Hayes, E. M., 918
Haynes, E., 937
Hearon, S. S., 347
Hebert, T. T., 125
Hedin, P., 623
Helbig, J. B., 694
Helianthus tuberosus
apical chlorosis and leaf spot of, 257, (258, 259)
diseases of, in Georgia, 299, (300, 301)
Helicotylenchus spp., on corn, in Colombia, 950
Helminthosporium portulacae, on Portulaca, in North Carolina, 826

sativum, on switchgrass, in Pennsylvania, 120
Hemileia vastatrix, on coffee, in western hemisphere, 89, (90-92)
Hemmati, K., 968
Henderson, J. C., 536
Hendrix, F. F., Jr., 707
Hepler, P. R., 863
Herbicide, bluegrass leaf spot affected by, 213
Hericium abietis, on silver fir, decay from, 992
Heritage, A. D., 767
Herrman, T., 421
Heterobasidion annosum, spore deposition
in California forests, 246
on hemlock, 713
Heterodera
avenae
in Australia, chemical control, 922, (923-926)
on oat in Washington, first report, 351
glycines, on soybean
continuous culture effect, 237
control, 829, (829, 830)
first report in Texas, 628
race 3, resistance, 593
Hibino, H., 374
Hiebert, E., 230
Hildebrand, P. D., 78
Hill, J. P., 579
Hilton, H. W., 1072
Hine, R. B., 381, 1098
Hodges, C. F., 213
Hodges, C. S., 334
Hoffman, J., 242
Hokama, K., 1006
Holcomb, G. E., 251
Hollowell, J. E., 674
Honda, Y., 1006, 1009
Hopkins, D. L., 129, 239
Hopkins, J. C., 628
Horner, E. S., 732
Horseradish, virescence of, in Illinois, 968, (969, 970)
Horsfall, J. G., 455
Howard, C. M., 824
Hoy, M. W., 699
Hu, C., 223
Hudler, G. W., 1065
Hulbert, S. D., 574
Humaydan, H. S., 443
Hypoxylon atropunctatum, on oak, latent pathogenicity, 317, (318)

Ikonen, E. F., 266
Imbriani, J. L., 735
Industry News, 268, 357, 1100
Inoculation method, droplet applicator, 107
Inoculum, substrates for, 310
Inoue, H., 374
Instructions to Authors, 3
Integrated pest management
fungicide relation, 1026
small grain production, in Montana, 748, (750, 751)
Ioannou, N., 429, 1043
Irwin, J. A. G., 531
Irwin, M. E., 994
Isogawa, Y., 1009
Iwaki, M., 1006, 1009

Jacobi, W. R., 398, 1049
James, J. R., 651
James, R. L., 246
Jarvis, W. R., 536, 718
Johnson, D. A., 351, 1099
Johnson, F. A., 732
Johnson, H. A., Jr., 390
Johnson, W. M., 168
Johnston, S. A., 506
Jones, A. L., 87, 458
Jones, J. B., 248, 338, 341, 344, 438, 1016
Jones, J. P., 251, 341, 1016
Jones, R. K., 811, 1069
Joshi, L. M., 537
Judd, M. J., 413
Juglans nigra
anthracnose of, 203
epidemics, 571
zonate leaf spot of, range extension, 918
Juhnke, M. E., 233, 748
Juniperus virginiana, branch tip dieback of, in Maine, 351

Kabatina juniperi, on red cedar, in Maine, 351
Kabeel, M. T., 100
Kado, C. I., 363, 828
Kaiser, W. J., 806, 887
Kalanchoë blossfeldiana, top spotting of, graft transmissible agent of, 347, (348, 349)
Kanaskie, A. M., 992
Kardin, M. K., 68
Katz, B. H., 383, 976
Kays, S. J., 299
Keck, J. W., 778
Keeling, B. L., 626
Kelley, K., 1086
Kenerley, C. M., 32
Kennedy, B. W., 167, 916
Kessler, K. J., Jr., 571, 918
Kienzler, M., 937
Kimber, G., 10
Kimble, K. A., 331
King, S. B., 804
Kingsland, G. C., 1016
Knight, W. E., 131
Knudsen, G. R., 1065
Ko, W. H., 509, 918
Kobriger, K., 595
Koch, B. L., 981
Koepsell, P. A., 533
Koh-Knox, C., 893
Kommedahl, T., 791, 880
Kosta, K. L., 536
Kotzé, J. M., 582
Kraft, J. M., 53, 491
Kramer, C. L., 392
Kraus, J. F., 324
Krausz, J. P., 244
Kroon, J. C., 458
Krueger, W. H., 351
Krupinsky, J. M., 13, 1089
Kunimoto, R. K., 509, 918
Kuntz, J. E., 613
Kuter, G. A., 812
Kuti, J. O., 524, 959

Lackner, A. L., 210
Lacy, G. H., 200
Lacy, M. L., 537
Laidlaw, D. M., 69
Lakso, A. N., 590
La Mondia, J. A., 474
Larsen, H. J., 981
Larsen, R. C., 251
Lathrop, L. D., 796
Latorre, B. A., 36, 884
Latterell, F. M., 728
Laviolette, F. A., 1080
Lawson, V. F., 117, 139
Layton, A. C., 1080
Leary, J. V., 537
Leath, K. T., 906
Leavitt, R. A., 873
Lee, R. F., 511, 979
Lee, T. S., 848
Lemon, decay of, control strategies, 24
Lepoivre, P., 154
Leptosphaeria korrae, on bluegrass, blight syndrome, 440, (441)
Leptosphaerulina briosiana, on alfalfa, epidemic, 732
Leslie, K. B., 713
Letters
losses computed, 5
publication, in English, 5
resistance and tolerance, terms, 456
technology editorial, 828
weather-related data, 456
Lettuce big vein, in Florida, first report, 918
Leveillula taurica, on native and cultivated plants, in Arizona, 625
Lewellen, R. T., 251
Lewis, S. A., 497
Lightner, G. W., 1018
Lillehoj, E. B., 465
Lim, S. M., 71
Limonium sinuatum, crown and leaf rot of, from bacteria, 338, (340)
Lin, C. C., 351
Lin, M. T., 405
Line, R. F., 112
Lipps, P. E., 536
Lirula macrospora, on spruce, in North Dakota, 1016
Lister, R. M., 242, 757, 759
Littley, E. R., 371
Liu, H. Y., 251
Lock, W., 628
Locke, J. C., 347
Logan, A. E., 260
Lohani, S., 537
Long, D. L., 585, 902
Lophodermium spp., pine needle disease in South Africa, 628
Lunden, J. D., 1099
Lundquist, J. E., 628, 732, 918
Lupine, *Colletotrichum* spp. on, host effect, 142, (143)
Luther, K. D. M., 668
Luttrell, E. S., 254
Lyda, S. D., 291, 500

Maas, J. L., 720
MacDonald, J. D., 192, 965
MacHardy, W. E., 223
Machtmes, R., 868
Macrophomina phaseolina
soil solarization effect, 156
on soybean
in Kansas, root colonization, 1086
in Ohio, 536
in Wisconsin, 628
on spurges and weeds, latent infection, 587
Madden, L. V., 1055
Maggio, R. C., 661
Magnolia, leaf spot of, 1013, (1013)
Maize dwarf mosaic virus
on sorghum, strains A and B, 1067
on sweet corn, in Washington, 351
Malek, R. B., 180
Maloy, O. C., 304
Mancino, L. J. C., 219
Manji, B. T., 29
Mansour, A. N., 537
Manzer, F. E., 863
Manzo, S. K., 866
Marais, L. J., 511
Marasmiellus sp., on corn, in Latin America, 728, (728-730)
inoderma, on alfalfa and khella, in Egypt, 906
Marchetti, M. A., 288
Marco, S., 162
Marholz, G., 884
Marigold, *Pseudomonas syringae* on, leaf spot in North Carolina, 1016
Martens, J. W., 266
Mathre, D. E., 233
Matyac, C. A., 880
Mayhew, D. E., 623

McAneney, K. J., 413
McCain, A. H., 1098
McCarter, S. M., 299, 341
McCoy, N. L., 1016
McCoy, R. E., 537, 600
McCoy, R. J., 53, 491
McDonald, G. I., 800
McElroy, F. D., 151
McHugh, J. B., 424
McMillan, R. T., Jr., 66, 166
McRae, C. F., 408
McSorley, R., 166
Melampsoridium betulinum, uredospore germination of, temperature effect, 686, (687)
Meloidogyne spp., on cowpea, resistance to, 961
arenaria, on tobacco, incidence in South Carolina, 244
hapla, host range of, weeds, 811
incognita
on cotton, assessments in Texas, 284
on garlic, control, 166
on peach, fenamiphos for, 477
on soybean, resistance, 798
microtyla, hosts, and differential plants, 7
Melouk, H. A., 395, 563
Mengistu, A., 628
Meria laricis, on larch
European, in Ontario, 732
in Washington, 826
Meredith, C. P., 1058
Merrill, W., 450, 536
Meulemans, M., 154
Michaels, E., 192, 939, 942
Microsphaera
diffusa, on soybean, yield effect, 953
penicillata, on pecan, physiological factors, 519, (519)
Mihail, J. D., 156, 625
Miles, M. R., 310
Milholland, R. D., 522, 948
Miller, A. N., 875
Miller, E. A., 794
Miller, J. D., 351
Miller, J. W., 344
Miller, M. E., 450
Milne, D. L., 691
Mink, G. I., 207, 351, 378
Moline, H. E., 46, 524, 959
Monilinia
fructicola
conidial production, temperature effect, 610
on stone fruits, biocontrol with *Bacillus*, postharvest, 753, (754)
laxa, on apricot, benomyl resistance, 29
Moore, W. F., 743
Moraes, T. S., de A., 314
Morinaka, T., 374
Moseman, J. G., 10
Mount, M. S., 703
Mountain, W. L., 796
Moyer, J. W., 1033
Mucor spp., on tomato, postharvest decay, control, 524
Mueller, J. P., 381
Mullen, J. M., 1013
Mulrean, E. N., 381
Murdoch, C. W., 890
Murphy, J. F., 561
Murthy, V. K., 757
Mycoplasmalike organisms
on horseradish, virescence from, 968, (970)
on soybean, in Mexico, 994, (995, 996)
Mycorrhiza, on Fraser fir seedlings, metalaxyl effect, 32
Mycotoxins, aflatoxin, on corn kernels, 465
Myers, R. F., 256
Myhre, D., 311
Myren, D. T., 732, 1099
Myriophyllum brasiliense, root and stem rot of, description, 999, (1000)
Myrothecium roridum, on *Dieffenbachia*, temperature effect, 488

Nagarajan, S., 537
Nayar, S. K., 537
Necrotic ringspot virus, on *Prunus*, ribavirin effect, 216, (217)
Nectria cinnabarina, on honey locust, control, 227, (228)
Neely, D., 302
Nelson, M. G., 436
Nematicides
aldicarb, soil residue, nematode and bean relation, 873
dibromochloropropane, for peach nematode, feeder root rot relation, 497
fenamiphos
for anthurium decline, 509
for peach nematodes, 477
Nematodes (see also under genera of)
advisory programs, status, 735, (735, 738)
taxonomy of, approach to, 551, (551, 552)
on turfgrass, in Washington, 151
Nemec, S., 311
Nene, Y. L., 782
Nesmith, W. C., 834, 933
Newsom, L. D., 343
Ng, T. J, 875
Niblett, C. L., 123
Nickell, C. D., 71
Nickelson, L. J., 68
Nissen, S. J., 748
Noel, R., 893
Nolan, P. A., 971
Nolte, P., 189, 1099
Norton, D. C., 950
Nyczepir, A. P., 497

Oak
Endothia canker of, water stress, 851
Hypoxylon canker of, latent pathogenicity, 317, (318)
wilt of, aerial survey in Texas, 661, (662)
Oat, cyst nematode of, in Washington, first report, 351
O'Brien, J. G., 104
Odvody, G. N., 604, 608
Ogawa, J. M., 29, 163, 351, 699
O'Hayer, K. W., 336
Ohep, J., 66
Ohr, H. D., 956
Oldfield, G. H., 968
Oldman, J. W., 413
Olexa, M. T., 263
Omura, T., 374
Ong, C. A., 374
Onion, basal rot of, in Georgia, 450
Orr, C. C., 284, 628
Ortega, M., 997
Orton, T. J., 574
Osborne, L. S., 870
O'Shea, M. T., 787
Ostazeski, S. A., 285
Osterhaus, C. A., 800
Ostrofsky, A., 351
Ostrofsky, W. D., 351
Otto, B. E., 198
Özsan, M., 502

Palys, J. M., 1058
Panicum virgatum, spot blotch of, in Pennsylvania, 120
Papavizas, G. S., 506
Papaya
postharvest decay of, water treatment for, 436
Stemphylium rot of, postharvest treatments, 986
Paratrichodorus minor, on corn, in Colombia, 950
Parrado, J. L., 166
Pataky, J. K., 674
Paulus, A. O., 537
Pawar, M. N., 668
Paxton, J. D., 828
Payne, G. A., 465
Payne, J., 427
Pea
Rhizoctonia epicotyl rot, resistance to, 491
stem rot of
inoculum source, technique, 53
resistance and factors affecting, 22
Pea seedborne mosaic virus, lentil strain of, ecological characteristics, 148, (148)
Peach
bacterial canker of, overwintering and survival, 468
Fusarium and *Pythium* on roots of, nematode relations and control, 497
nematodes of, fenamiphos for control, 477
tomato ringspot virus of
detection, 198
nematode vector for, 1052
Peanut
cucumber mosaic virus of, in China, 386, (387)
Cylindrocladium black rot of
crop rotation effect, 401
nitrogen effect on, 674
leaf spot resistance in, 395
nematode disease of, in India, 526, (527, 528)
pod rot complex, nutrition effect, 61
pods, inoculum source, 1039
sterile basidiomycete on, ecology, 18
Peanut mottle virus
resistance to, sources, 563
seed transmission, germ plasm screening, 757
Peanut stunt virus, on clover, 1033
Pear
fruit decay of, fungicides for, 860
powdery mildew of, infection, 857, (857, 858)
Pearson, C. A. S., 1086
Pearson, R. C., 590
Pecan
photosynthesis of, fungicide effect, 427, *731*
powdery mildew of, physiological factors, 519, (519)
Penicillium spp., on lemon, in packinghouses, 24
digitatum, on citrus, fungicides for, 415, (417)
oxalicum, *Pythium* antagonist on chickpea, 806
Pennisetum americanum, downy mildew of, metalaxyl for, 668
Pepper (see *Capsicum*)
Percich, J. A., 68
Peronophythora litchii, on litchi, in Taiwan, 826
Peronosclerospora sorghi, on corn and sorghum
foliar application, 608
seed treatment, 604
Peronospora
effusa, on spinach, fungicides for, 1069
hyoscyami, conidia of, infection after storage on leaves, 688
manshurica, on soybean
new race, 71
prevalence in Iowa, 778, (780)
tabacina, on tobacco, warning system for, 933, (934-936)
Perry, J. B., 107
Pesticide
in apple orchard, tree-row-volume concept, 480

registration of, scientist as witness, 263
Petersen, H. D., 288
Petersen, L. J., 331
Peterson, G. W., 103
Pfender, W. F., 845
Phaeocryptopus gaeumannii
ascospores of, seasonal availability, 942
on Douglas-fir
needle retention affected by, 192
occurrence in Pacific Northwest, 939
in Ontario, Christmas trees, 1099
Phakopsora
apoda, on kikuyugrass, in Hawaii, 826
pachyrhizi, on soybean, alternative hosts, 818
Phaseolus (see also Bean)
angularis, bacterial stem rot of, in Minnesota, 167
aureus, Cylindrocephalum rot of, 304, (304)
vulgaris
clover yellow vein virus on, resistance, inoculation methods, 555
root-lesion nematode of, aldicarb soil residue effect, 873
root rot complex of, *Pythium* spp., 595
rust of
resistance and specialization, 95, (97)
triphenylphosphite effect, 154, (155)
Phellinus
noxius, on *Delonix regia*, in Mariana Islands, 334, (335)
punctatus, on woody plants, in North Dakota, 252
Phialophora graminicola, on bluegrass, blight syndrome, 440, (441)
Philadelphus spp., bacterial blight of, in Minnesota, 916
Philley, G. W., 1016
Phillips, D. J., 610
Phillips, D. V., 558, 953
Phipps, P. M., 76
Phomopsis spp., on ice plant, in California, 965
Phymatotrichum omnivorum
on cotton
anhydrous ammonia for, 291
yield and quality effect, 381
on sorghum, 500
Phytomonas spp., on coconut palm, in Central America, 537
Phytophthora spp.
on clover, association, 450
in forest tree nurseries, metalaxyl effect on, 671
capsici, on pepper, resistance to, 506
cinnamomi
on avocado
chemical control, 956
control by trunk injection, 691
on *Banksia* spp., assessment technique, 1077
on western swordfern, in California, 536
citrophthora, on citrus, resistance of rootstocks, 502
cryptogea
on ice plant, in California, 965
on safflower, resistance to, factors, 767
infestans, metalaxyl-resistant strains of, 137
lateralis, in soil, isolation method, 517
megasperma
on cabbage and cauliflower, in Oregon, 533, (533, 534)
on soybean
new race, 626
race changes in Minnesota, 826
resistance inheritance, 1080
virulent isolates of, in New York, 726
palmivora, on apple, fruit rot from, 351
parasitica
metalaxyl response, 764
sporangium formation in, bioassay, 1043
on tomato, ethazol and metalaxyl for, 429
porri, on onion, first report in Africa, 732
Pine
Austrian and red-, needle blight of, 450
coulter-, *Elytroderma deformans* on, first report, in California, 918
Dothistroma needle blight of, in South Africa, 918
fusiform rust of, seedling resistance, 145
jack-, damping-off of, organic amendment effect, 59
lodgepole-, blister rust of, 1049
pine-oak rust of, fungicide for, 225
ponderosa-
ozone effect on, 398
western gall rust of, in Michigan, 681
shortleaf-, fusiform rust of, seedling susceptibility, 324
slash-, fusiform rust of, resistance and factors, 770
white-, *Verticicladiella procera* on, 210
wilt of, epidemiology, in Illinois, 180,(183, 186)
Pinus monticola, fusiform rust of, new strains in Oregon, 800
Pistacia vera, shoot blight of, 163, (164)
Planting, automated device for, 266, (266)
Plasmodiophora brassicae, in irrigation water, populations, 200
Poa pratensis, Fusarium blight syndrome, associated fungi, 440, (441)
Podosphaera leucotricha
on apple, sprays for, 326
on pear, infection, 857, (857, 858)
Pollution, air-, ozone, ponderosa pine reaction, 398
Polystichum munitum, Phytophthora root rot of, 536
Pool, R. M., 590
Poole, R. T., 195, 488
Porterfield, M. R., 450, 536
Portier, K. M., 145
Postharvest pathology
Alternaria alternata on potato, 160, (160)
on citrus, fungicides for, 415
Geotrichum on tomato fruit, 46
lemon decay, in packinghouse, 24
Mucor on tomato, control, 524
Penicillium spp. in packinghouses, Egypt, 100
Stemphylium rot of papaya, treatments, 986
tomato fruit, surfactant Nacconol toxicity, 699, (702)
Potato
alfalfa mosaic virus of, thermotherapy, 887
Alternaria alternata on, new in storage, 160, (160)
bacterial wilt of, in Chile, 822
bacterization with *Pseudomonas putida*, soft rot control, 703
disorders of, in New York market, 1018, (1018)
ring rot of, control status in North America, 841, (841, 842)
Potato leafroll virus
distinction from other viruses, 684
prediction of, thermal unit use, 863
Potato spindle tuber viroid, tuber-bearing *Solanum* species susceptible to, 784, (786)
Potato virus Y
necrotic lesion host, epidemiology, 779, (780)
on tobacco, growth and yield effect, 884
Potato viruses S, X, and Y, ELISA sensitivity to, procedures, 944
Potter, J. W., 7
Powell, C. A., 242, 796, 908, 1052
Powell, C. C., 438
Powers, H. R., Jr., 324
Pratt, R. G., 131
Pratylenchus spp., on corn in Colombia, 950
brachyurus, on vanilla, in Tonga, 628
penetrans, on bean, aldicarb soil residue association, 873
vulnus, on grape, tolerance, 1058, (1058, 1059)
zeae, on sorghum, in Mississippi, 1083
Pretorius, Z. A., 585
Prine, G. M., 732
Pronos, J., 918
Protomyces macrosporus, on *Torilis japonica*, in Arkansas, 716, (717)
Provvidenti, R., 443, 1092
Prunus spp.
black knot of, yield effect, 1060
green ring mottle and necrotic ringspot virus of, ribavirin effect, 216, (217)
Prunus dwarf virus, detection by ELISA, 378
Prunus necrotic ringspot virus, detection with ELISA, 378
Prusky, D., 160
Pryor, A. J., 281
Pseudocercosporella herpotrichoides, on wheat, dirting effect, 868
Pseudomonas
andropogonis, on chickpea, in Maine, 910
caryophylli, on statice, crown and leaf rot from, 338, (340)
cichorii
on endive, in California, 537
on geranium and chrysanthemum, factors, 248
on magnolia, leaf spot from, 1013, (1013)
on *Schefflera*, other hosts, 73, (73)
gladioli, on *Asplenium nidus*, leaf spot and blight, 344, (345)
marginalis, on pepper, 167
putida, on potato, bacterization and soft rot effect, 703
solanacearum, on potato, in Chile, 822
syringae
on apple buds, overwintering, 383, (384)
on Jerusalem artichoke, leaf spot and chlorosis, 257, (258, 259)
on marigold, leaf spot in North Carolina, 1016
on mock orange, bacterial blight from, 916
on peach
overwintering and survival, 468
strain variation, 677, (679)
on tomato, resistance to, 139
viridiflava
on bell pepper, leaf blight, 1016
on tomato, 341
Pseudoperonospora cubensis, on cucumber, metalaxyl-resistant strains of, 137
Puccinia
carduorum, on thistle, in California, 1003, (1004)
graminis
on barley, resistance inheritance, 762
races of, in USA and Mexico, 902
in U.S. Great Plains, 392
psidii, on *Eucalyptus*, field response, 314
recondita
in India, pathogenicity, 537
in U.S. Great Plains, 392
on wheat
resistance gene, 585
resistance sources, World Collection, 450
seed treatment for, 112
on wild wheat, resistance to, 10
sorghi, on corn, races, isozyme difference, 281
striiformis
on orchardgrass, in Oregon, 1099
on wheat, seed treatment for, 112
Punctodera punctata, on turfgrass, in New Jersey, 256, (256)
Purcifull, D. E., 230

Pusey, P. L., 753
Putta, M., 374
Pyrenophora
trichostoma, on Russian wildrye, 13
tritici-repentis, on wheat, inheritance, 848
Pythium spp.
bean root rot complex association, in Wisconsin, 595
on peach roots, nematode relations and control, 497
on peanut pods, inoculum source, 1039
on spinach, hydroponic culture, 989, (990)
aphanidermatum
on ice plant, in California, 965
in soil, cucumber seeds as baiting technique, 697, (698)
on spinach, hydroponic and UV radiation, 1075
on turfgrass, metalaxyl for, 776
carolinianum, on parrotfeather, root and stem rot, 999, (1000)
ultimum
on chickpea, *Penicillium* as biocontrol, 806, (808)
on grape, control in British Columbia, 820

Qian, Y.-T., 710
Quercus (see Oak)
Quinisulcius acutus, on sorghum, in Mississippi, 1083

Raabe, R. D., 134
Radice, A. D., 256
Radke, V. L., 56
Radopholus similis, on anthurium, decline caused by, 509
Rahe, J. E., 371
Raja Reddy, C., 526
Rajeshwari, R., 757
Raju, B. C., 248
Rakotondradona, R., 112
Ramsdell, D. C., 450
Rao, V. R., 757
Rashid, K. Y., 16
Raspberry, virus diseases of, in North America, 274, (275, 278)
Ravenscroft, A. V., 418, 1036
Rawlings, J. O., 294, 465
Raychaudhuri, S. P., 320
Raymond, P. J., 665
Reddy, D. D. R., 526
Reddy, D. V. R., 757
Reddy, M. V., 782, 900
Reddy, P. M., 668
Reis, E. R., 411
Resistance
barley to stem rust, 762
corn to head smut, in Minnesota, 880, (880, 881)
cowpea to root knot, 961
faba bean to rust, 16
sorghum to rough leaf spot, 1048
soybean to
Phytophthora, 1080
root-knot nematode, 798
stem canker, 877
tomato to
anthracnose, 875
bacterial speck, 139
wheat to
Cephalosporium leaf stripe, 1036
leaf blotch and tan spot, 848
Rhabdocline pseudotsugae, on Douglas-fir, in Ontario, 1099
Rhizoctonia
oryzae-sativae, on rice, in California, 529, (530)
solani
on pea
resistance to, 22, 491
technique and inoculum source, 53
on peanut pods, inoculum source, 1039
survival, composting effect, 134
Ribavirin
cowpea chlorotic mottle virus effect, 219
Prunus viruses affected by, 216, (217)
Rice
brown spot of, *Bipolaris* role, 288
sheath spot of, in California, 529, (530)
viruses of, detection, latex flocculation test, 374
wild- (see under Wild rice)
Rich, A. E., 456
Richardson, P. E., 168
Riedel, R. M., 536
Riffle, J. W., 322
Riley, K. L., 854
Ritchie, D. F., 468, 477, 677
Roberts, D. A., 732
Robeson, D. J., 251
Robinson, A. F., 284
Rochow, W. F., 710
Rodriguez, R. A., 537
Roehrkasse, G. P., 620
Roelfs, A. P., 762, 902
Roistacher, C. N., 494
Roper, T., 326
Rose, L. M., 873
Rosenberger, D. A., 242, 1060
Rossi, A. E., 728
Rossman, E. C., 296
Rothrock, C. S., 351
Rouse, D. I., 365, 539
Roux, C., 628, 918
Rowe, R. C., 742
Rubus spp., cane canker of, new canker, 720, (721-724)
Rudbeckia hybrida, bidens mottle virus of, 260, (261)
Rumohra adiantiformis, *Cylindrocladium* on fronds of, surface disinfestation, 514
Rush, C. M., 291, 500
Russo, J. M., 656
Rusuku, G., 154
Rytter, J. L., 818
Rycyk, F., Jr., 1099

Safflower
leaf blight of, environmental factors affecting, 408
Phytophthora root disease of, resistance in, factors, 767
Saito, Y., 374
Salazar, L. F., 997
Samborski, D. J., 266
Samman, S., 800
Samoucha, Y., 137
Sanborn, M. R., 563
Sanders, P. L., 776
Sands, D. C., 233
Sankara Reddy, G. H., 526
Schafer, J. F., 585
Schefflera
Alternaria leaf spot of, fungicides for, 870
arboricola, bacterial leaf blight of, other hosts, 73, (73)
Schieber, E., 89
Schreiber, L. R., 424
Schultz, G. A., 336, 565, 968
Sclerospora graminicola, on pearl millet, metalaxyl effect on, 668
Sclerotinia
sclerotiorum, on soybean, cultural practice effect, 56
trifoliorum
on alfalfa, benomyl for, 294
on clovers, comparative response, 131
Sclerotium
cepivorum, dicarboximide fungicide for, tolerance to, 371
rolfsii
on corn, peanut, soybean, and snap bean, 18
soil solarization effect, 156
survival, composting effect, 134
Schwenk, F. W., 1086
Scorza, R., 198
Scott, G. E., 804
Scott, S. W., 983
Secor, G. A., 189, 1099
Seem, R. C., 458, 590, 656
Seif El-Nasr, H. I., 906
Seifers, D. L., 1067
Semal, J., 154
Sensmeier, R., 893
Septoria spp., on wheat, in Michigan, 418
nodorum
in wheat seed, plant and yield effect, 125, (127)
on wild wheat, resistance to, 10
spraguei, on Russian wildrye, host range, 13
tritici, on wheat, inheritance, 848
Shahwan, I. M., 579
Shane, W. W., 257
Shapiro, J. D., 965
Sharon, E. M., 322
Sharpe, D., 1099
Shehata, M. A., 22
Sheppard, J. W., 69
Shew, H. D., 764
Shoeib, A. A., 100
Shoemaker, P. B., 305
Shukla, D. D., 204
Shurtleff, M. C., 839
Siccama, T. G., 794
Silbernagel, M. J., 1092
Silva, A. R., 314
Simone, G. W., 230
Singh, K. B., 782, 900
Singh, R. P., 779, 784
Singh, S. D., 668
Sirococcus clavigignenti-juglandacearum, on butternut, development in plantations, 613, (615)
Siva Rao, D. V., 526
Sivasithamparam, K., 1077
Skaria, M., 759
Skilling, D., 937
Slack, S. A., 784, 841
Slingsby, K., 536
Smidt, M. L., 536
Smiley, R. W., 440
Smith, D. H., Jr., 450
Smith, E. M., 582
Smith, M. B., 707
Smith, O. P., 863
Smith, W. H., 794
Snow, G. A., 770
Soil solarization, *Macrophomina* and *Sclerotium* affected by, 156
Solarization
Globodera rostochiensis control, 474
soil-, for wheat crater disease, 582
Sorghum
downy mildew of, systemic fungicides for foliar application, 608
seed treatment, 604
Fusarium moniliforme of, survival in stalks, 866
maize dwarf mosaic virus on, strains A and B, 1067
nematodes on, in Mississippi, 1083
Phymatotrichum root rot of, 500
rough leaf spot of, resistance, 1048
Soybean
bacterial tan spot of, yield loss from, 774
bud blight of, virus cause in Brazil, 405, (406)
bud proliferation of, possible mycoplasma cause, 343, (343)

charcoal rot, in Ohio, 536
cyst nematode of
race 3, resistance, 593
reproduction and culture effect, 237
disease control by fungicides, application timing, 44
downy mildew of, prevalence in Iowa, 778, (780)
foliar fungicides for
in Georgia, 558
predictive systems, 743
Fusarium blight of, weeds as inoculum source, 694
Macrophomina phaseolina on, root colonization, 1086
mycoplasmalike organism of, in Mexico, 994, (995, 996)
nematode of, control, 829, (829, 830)
Phytophthora megasperma on
new race, 626
resistance inheritance, 1080
Phytophthora root rot of, virulent isolates, in New York, 726
powdery mildew of, yield effect, 953
root-knot nematode of, resistance, 798
rust of, alternative hosts, 818
Sclerotinia stem rot of, cultural practice effect, 56
stem canker of, resistance to, in field, 877
sterile basidiomycete on, ecology, 18
Soybean chlorotic mottle, new soybean virus, 1009, (1010)
Sozzi, D., 1026
Sphacelotheca reiliana, on corn, smut expression and resistance, 880, (880, 881)
Sphaerobolus stellatus, on foliage plants, in Texas, 450
Sphaerotheca fuliginea, on cucumber, in Ontario, 536
Spinach
Pythium root rot of, hydroponic culture, 989, (990), 1075
white rust on, fungicide schedule, 1069
Spiroplasma, on corn, in Florida, 600
Spiroplasma citri
on horseradish, mosaic virus effect, 565
new hosts for, 336, (337)
Spotts, R. A., 857, 860
Spruce
black-, damping-off of, organic amendment effect, 59
needle blight of, in North Dakota, 1016
red-, *Armillaria mellea* and decline of, 794
Squash, zucchini yellow mosaic virus of, in Florida, serology, 230, (231, 232)
Squash mosaic virus, detection in seeds, ELISA use, 971
Stace-Smith, R., 274
Staley, J. M., 398
Stall, R. E., 341
Stanghellini, M. E., 989, 1075
Staub, T., 1026
Stavely, J. R., 95, 555
Steffenson, B. J., 762
Stemphylium
botryosum, on alfalfa, etiology in Australia, 531
lycopersici, on papaya, postharvest treatments, 986
vesicarium, on asparagus, in Michigan and Washington, 1099
Stephens, C. T., 1099
Stienstra, W. C., 880
Stier, H. Z., 628
Stipes, R. J., 851
Stone, A. R., 551
Storch, R. H., 863
Stouffer, R. F., 242, 796, 1052
Stowell, L. J., 1075
Straley, M. L., 189
Strandberg, J. O., 39
Strawberry
anthracnose of, in Florida, 824
tobacco streak virus of, seed transmission, 390
Streptomyces spp., biocontrol of Dutch elm disease by, 104
Strider, D. L., 1016
Strobel, G. A., 251
Stromberg, E. L., 880
Stuckey, R. E., 743
Subrahmanyam, P., 526
Sugar beet, *Corynebacterium sepodonicum* on seeds and roots, 1099
Sugarcane
pineapple disease of, propiconazole for, 1072
ratoon stunting disease of, diagnosis and incidence in Florida, 896
Sugarcane mosaic virus, Australian strains of, serology, 204, (205)
Summers, W. L., 117, 139
Sumner, D. R., 18, 450, 1039
Sunflower
bacterial stalk rot of, in North Dakota, 189, (189, 190)
stem canker and leaf spot of, in Texas, 254, (254, 255)
Sutherland, J. B., 104
Sutherland, J. R., 628
Sutton, J. C., 78
Sutton, T. B., 480
Swallow, W. H., 919
Swanson, T. A., 961

Taber, R. A., 450
Tagetes spp., Verticillium wilt of, 1098
Taraxicum officinale, tomato ringspot virus on, in Pennsylvania, 796
Taylor, P. A., 450
Templeton, G. E., 716
Teng, P. S., 365, 539
Tenorio, J. A., 334
Teranishi, H. R., 163
Thinlay, 1077
Thomas, C. S., 681
Thomas, D. L., 623
Thomas, P. E., 684
Thompson, D. L., 465
Thompson, M. M., 778
Tidwell, T. E., 536
Tilletia caries, on wheat in Oklahoma, 537
Timmer, L. W., 511, 979
Tisserat, N., 613
Tobacco
blue mold of, warning system for, 933, (934-936)
Phytophthora parasitica on, metalaxyl response, 764
potato virus Y on, growth and yield effect, 884
southern root-knot nematode of, in South Carolina, 244
Tobacco mosaic virus, on ash, detection, 787
Tobacco ringspot virus
orchard weeds as hosts, 242
on white ash, detection, 787
Tobacco streak virus
on strawberry, seed transmission, 390
on tomato and weeds, in California, 331, (332)
Tochihara, H., 1006
Todhunter, M. N., 203
Toerien, J. C., 691
Toledo, M. V., 36
Toler, R. W., 1016
Tomato
anthracnose of, resistance inheritance, 875
bacterial leaf blight of, cause, 341
bacterial seedling blight of, first report, 617, (618)
bacterial speck of, resistance to, 139
bacterial spot of, pepper strain race 2, genotype sources, 117
damping-off, fungicides and direct-seeding gel, 66
decay fungi of, Nacconol toxicity to, 699
Geotrichum on fruit of, decay, 46
Phytophthora root rot of
ethazol and metalaxyl for, 429
sporangium formation 1043
postharvest decay of, *Mucor* causing, control, 524
tobacco streak virus of, in California, 331, (332)
Verticillium wilt of, races in North Carolina, 305
Tomato aspermy virus, strain of, in Maryland, 959, (959, 960)
Tomato mosaic virus, corky ringspot strain, in California, 623, (624)
Tomato ringspot virus
in apple, distribution in trees, 567
on dandelion, in Pennsylvania, 796
on *Daphne*, first report, 536
detection in woody and herbaceous hosts, ELISA for, 908
orchard weeds as hosts, 242
on peach, detection, 198
transmission to apple, cherry, and peach, 1052, (1053)
Tomato spotted wilt virus, on watermelon, silver mottle from, 1006, (1007, 1008)
Tomato yellow top virus, distinction from other viruses, 684
Tomerlin, J. R., 10
Tooley, P. W., 726
Torilis japonica, leaf gall of, in Arkansas, 716, (717)
Towers, B., 450
Townshend, J. L., 7
Tranzschelia discolor, on almond, in California, 351
Traquair, J. A., 718
Trevathan, L. E., 1083
Tsai, J. H., 600
Tsuchizaki, T., 374
Tsurumachi, S., 374
Tsuzuki, H., 1009
Tu, J. C., 69
Tubakia dryina, hosts, in Louisiana, 251
Tucker, D. P. H., 979
Tuite, J., 893
Tulips, tulip breaking virus and tobacco rattle virus of, in South Africa, 351
Tupidanthus calyptratus, Alternaria leaf spot of, 447
Turfgrass
Drechslera sorokiniana on leaves, herbicide effect, 213
plant-parasitic nematodes of, in Washington, 151
Punctodera punctata on, in New Jersey, 256, (256)
Pythium blight of, metalaxyl for, failure, 776
Tuzcu, Ö., 502
Tylenchorhynchus brevilineatus, on peanut, in India, 526, (527, 528)

Uchida, J. Y., 447, 509
Uecker, F. A., 720
Uncinula necator, on grape, yield and growth effect, 590
Unrath, C. R., 480
Uromyces
phaseoli, on bean
resistance and specialization, 95, (97)
triphenylphosphite effect, 154, (155)
viciae-fabae, on faba bean, resistance to, 16

Usugi, T., 374
Utkhede, R. S., 820

Valverde, R. A., 716, 913
Van DeMotter, P. J., 458
Van Gundy, S. D., 961
Van Wert, S. L., 1036
Varon de Agudelo, F., 950
Venturia inaequalis
  fungicides for, schedule, 1055
  temperature effect on culture, 223, (224)
Verhalen, L. M., 168
Verticicladiella procera, on pines, development, 210
Verticillium
  albo-atrum, on deer brush, in California, 1012
  dahliae
    benzimidazole tolerance in, 424
    on ice plant, in California, 965
    survival, composting effect, 134
    on *Tagetes* spp., 1098
    on tomato, races, in North Carolina, 305
Vicia faba (see also Bean)
  rust of, resistance to, 16
Vidaver, A. K., 536
Vielvoye, J., 820
Vincelli, P. C., 167
Viola spp., cucumber mosaic virus of, flower-breaking strain, 913, (914, 915)
Viruses
  luteoviruses, on small grains in China, identification, 710
  tobamoviruses, on pepper, serological identification, 597
Vogler, D. R., 918
von Broembsen, S. L., 732
VongKaysone, T., 254
von Maltitz, P. M., 732

Wagner, V., 450
Walker, M. E., 61
Wall, R. E., 59
Walla, J. A., 252, 1016
Walnut, black- (see *Juglans nigra*)
Wang, D. N., 351
Wang, W.-Y., 1092
Wargo, P. M., 794
Watanabe, T., 687
Watermelon
  Fusarium wilt of
    in monoculture, 129
    nonhost crop plant effect, 239
  tomato spotted wilt virus on, silver mottle from, 1006, (1007, 1008)
Watermeyer, S. R., 485
Watson, A. K., 1003
Weaver, D. B., 877
Webb, R. S., 145
Weber, D. J., 326
Webster, R. K., 529
Wehner, F. C., 582
Weiss, A., 456
Wells, H. D., 351
Wells, J. M., 1018
Welser, M. J., 590
Welty, R. E., 142, 294
Wenner, N., 450, 536
Wetter, C., 597
Wheat
  bunt of, in Oklahoma, 537
  Cephalosporium stripe of
    factors affecting in Kansas, 665
    seedling resistance, 1036
  cereal cyst nematode of, in Australia, chemical control, 922, (923-926)
  crater disease of, solarization and fungicides for, 582
  diseases of, in Idaho, 421
  leaf rust of
    gene detection in seedlings, 585
    resistance to, 320
  root rot of, inoculum density effect, 411
  Septoria nodorum in seed of, plant and yield effect, 125, (127)
  Septoria spp. of, in Michigan, 418
  strawbreaker foot rot of, dirting effect, 868
  stripe and leaf rust of, seed treatment for, 112
  take-all of, in Georgia, 351
  wild spp., resistance to mildew, rust, and *Septoria*, 10
Wheat soilborne mosaic virus
  first report in Texas, 1016
  resistance identified, 123
Wheat streak mosaic virus on winter wheat, in Colorado, 579
White, J. F., 49
Whitlock, V. H., 351
Whitney, E. D., 251
Whitney, G., 452
Wien, H. C., 628
Wiese, M. V., 421
Wilcoxson, R. D., 310, 320, 585, 762
Wild rice, anthracnose of, 68, (68)
Williams, E., Jr., 537
Williams, M. J., 49
Williams, P. H., 107
Willis, J. W., 537
Wilson, C. L., 753
Wilson, L. L., 812, 1055
Windels, C. E., 791, 880
Wisteria floribunda, potyvirus of, 450
Witcher, W., 561
Wood, B. W., 427, 519
Wrather, J. A., 743, 829
Wright, M. J., 726
Wünsche, W. A., 411

Xanthomonas campestris
  on cotton, immunity development, 168, (168, 169, 171)
  on pepper, hypersensitivity, 329
  pepper strain race 2, effect on *Lycopersicon* spp., 117
Xiphinema rivesi, tomato ringspot virus, vector, 1052, (1053)
Xu, Z., 386

Yang, S. M., 254
Yilmaz, M. A., 537
Yokoyama, T., 1006
Yonaha, T., 1006
Yoshimura, M. A., 447
Young, D. J., 587
Young, L. D., 237
Youtsey, C. O., 43
Yuen, G. Y., 134

Zadoks, J. C., 352
Zeiders, K. E., 120
Zentmyer, G. A., 89
Zettler, F. W., 260
Zhang, X.-C., 710
Zhou, G.-H., 710
Zinnia elegans, bidens mottle virus of, 260
Zitter, T. A., 628, 655
Zuber, M. S., 465
Zucchini yellow mosaic virus
  on cucurbits, geographical distribution, 443, (445)
  on squash, serology, 230, (231, 232)
  on watermelon and squash, in Turkey, 537
Zuck, M. G., 617
Zummo, N., 1048

APS SUSTAINING ASSOCIATES

ABBOTT LABORATORIES, North Chicago, IL
AGRICULTURE CANADA, Vineland Station, Ontario, Canada
AMERICAN CYANAMID CO., Princeton, NJ
AMERICAN HOECHST CORP., Somerville, NJ
ARIZONA AGROCHEMICAL CO., Phoenix, AZ
BASF WYANDOTTE CORPORATION, Parsippany, NJ
BIO TECHNICA INTL. INC., Cambridge, MA
BIOTRON INC., Baton Rouge, LA
BUCKMAN LABORATORIES, INC., Memphis, TN
CALGENE, INC., Davis, CA
CARGILL, INC., Aurora, IL
A. L. CASTLE, INC., Hollister, CA
CHEVRON CHEMICAL CO., Richmond, CA
CHEVRON CHEMICAL CO., San Francisco, CA
CIBA-GEIGY CORP., Agricultural Division, Greensboro, NC
DEKALB-PFIZER GENETICS, Dekalb, IL
DEL MONTE CORP., San Leandro, CA
DOW CHEMICAL CO., Midland, MI
E. I. DU PONT DE NEMOURS & CO., Wilmington, DE
FERRY-MORSE SEED CO., Mountain View, CA
FMC CORP., Princeton, NJ
FRITO-LAY, INC., Irving, TX
GREAT LAKE CHEMICAL CO., W. Lafayette, IN
GUSTAFSON, INC., Des Moines, IA
JOSEPH HARRIS CO., INC., Moreton Farm, Rochester, NY
H. J. HEINZ CO., Bowling Green, OH
ICI AMERICAS, INC., Goldsboro, NC
ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC., Urbana, IL
ILLINOIS FOUNDATION SEEDS INC., Champaign, IL
INST DE FITOVIROLOGIA, Torino, Italy
JANSSEN PHARMACEUTICA, Piscataway, NJ
KALO AGRICULTURAL CHEMICALS, Quincy, IL
ELI LILLY & CO., Greenfield, IN
MALLINCKRODT, INC., St. Louis, MO
MERCK & CO., INC., Rahway, NJ
MILES LABORATORIES, INC., Elkhart, IN
MOBAY CHEMICAL CORP., Kansas City, MO
MONSANTO CO., St. Louis, MO
NOR-AM CHEMICAL CO., Wilmington, DE
NORTHRUP KING & CO., Minneapolis, MN
OGLEVEE ASSOCIATES, INC., Connellsville, PA
PENNWALT CORP., Tacoma, WA
PFISTER HYBRID CORN CO., El Paso, IL
PFIZER, INC., Chemical Division, TEKCHEM, New York, NY
PIONEER HI-BRED INTERNATIONAL, INC., Johnston, IA
RHONE-POULENC INC., Monmouth Junction, NJ
ROHM AND HAAS CO., Philadelphia, PA
O. M. SCOTT & SONS, Marysville, OH
SDS BIOTECH CORPORATION, Painesville, OH
STAUFFER CHEMICAL CO., Mountain View, CA
UNIROYAL CHEMICAL, Bethany, CT
UPJOHN COMPANY, Agric. Res. and Dev. Div., Kalamazoo, MI
USDA FOREST SERVICE, Ogden, UT
W-L RESEARCH INC., Highland, MD
YODER BROTHERS, Barberton, OH
ZOECON CORP., Palo Alto, CA

1984 Advertisers Index

	Page Number
Academic Press, Inc.	Cover 2, No. 7, Cover 4, No. 8
Commonwealth Agricultural Bureaux	369, 463, 741
DataMyte Corporation	267, 279
Fungicide and Nematicide Tests	Cover 4, No. 4
LI-COR	550
Omnidata International, Inc.	543, 553, 752
Percival Manufacturing Company	367, 649, 833
Pergamon Press, Inc.	464
Reuter-Stokes	185

Call for Photographs

Full-color photographs will be published on the front cover of PLANT DISEASE each month. If you would like to have your photographs considered for publication on the cover (at no cost to you), please send them to PLANT DISEASE, c/o Mary Beth Hendrickson, 3340 Pilot Knob Road, St. Paul, MN 55121.

Send slides only. Slides will not be returned unless arrangements are made before their submission. A copy or photocopy of the form at right must accompany each slide. If more than one slide is submitted, number each one and place the same number after the word "Number" on the corresponding form.

OFFICE USE ONLY ID _____
Group _____ Category _____
Source _____

Host _____
Disease
_____
Pathogen—Scientific name
_____
Other _____
_____

Number _____ Description _____
_____
_____
_____

Your name _____
Address _____
_____
_____

☐ No need to return slide
☐ Please return slide